

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	16.06.2026	300000000067	Date of first issue: 16.06.2026

Section 1: Identification

Product identifier : 3M™ Adper™ Scotchbond™ Multi-Purpose Adhesive Refill, 7543, 8ml

Product code : 000000007000054274

Manufacturer or supplier's details

Company : KCI Medical Asia Pte. Ltd.

Address : 10 AngMo Kio Street 65
01

Telephone :

Emergency telephone : In case of emergency call CHEMTREC US: 1-800-424-9300,
CHEMTREC WORLD: 1-703-527-3887.

E-mail address : psops_supportteam@solventum.com

Website : Solventum.com

Section 2: Hazard identification**Classification of the substance or mixture**

Serious eye damage/eye irritation : Category 2

Skin sensitization : Category 1

Reproductive toxicity : Category 1B

GHS Label elements, including precautionary statements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H360 May damage fertility or the unborn child.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing mist or vapors.

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version 2.0	Revision Date: 16.06.2026	SDS Number: 300000000067	Date of last issue: - Date of first issue: 16.06.2026
----------------	------------------------------	-----------------------------	--

P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 61.4811 %

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients**Components**

Chemical name	CAS-No.	Concentration (% w/w)
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	1565-94-2	>= 50 -< 70
2-hydroxyethyl methacrylate	868-77-9	>= 30 -< 50
ethyl 4-dimethylaminobenzoate	10287-53-3	>= 0.3 -< 1
ethylene dimethacrylate	97-90-5	>= 0.1 -< 1
2,2'-[(4-methylphenyl)imino]bisethanol	3077-12-1	>= 0.1 -< 1
hydroquinone	123-31-9	>= 0.025 -< 0.1

Section 4: First-aid measures**Description of necessary first-aid measures**

General advice : Move out of dangerous area.

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	16.06.2026	300000000067	Date of first issue: 16.06.2026

		Show this material safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If on skin, rinse well with water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms and effects, both acute and delayed

Risks	:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May damage fertility or the unborn child.
-------	---	--

Indication of any immediate medical attention and special treatment needed

Treatment	:	Treat symptomatically.
-----------	---	------------------------

Section 5: Fire-fighting measures
Extinguishing media

Unsuitable extinguishing media	:	High volume water jet
--------------------------------	---	-----------------------

Special hazards arising from the substance or mixture

Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
---------------------------------------	---	---

Hazardous combustion products	:	No hazardous combustion products are known
-------------------------------	---	--

Special protective actions for fire-fighters

Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
--	---	--

Specific extinguishing methods	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
--------------------------------	---	---

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	16.06.2026	300000000067	Date of first issue: 16.06.2026

Section 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.

Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

Section 7: Handling and storage**Precautions for safe handling**

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Container may be opened only under exhaust ventilation hood.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Hygiene measures : Wash hands before breaks and at the end of workday.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version 2.0 Revision Date: 16.06.2026 SDS Number: 300000000067 Date of last issue: -
Date of first issue: 16.06.2026

Section 8: Exposure controls/personal protection
Control parameters
Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
hydroquinone	123-31-9	PEL (long term)	2 mg/m ³	SG OEL
		TWA	1 mg/m ³	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
hydroquinone	123-31-9	Methemoglobin	In blood	During or at the end of the shift	5 % Hb	ACGIH BEI

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Section 9: Physical and chemical properties

Appearance : liquid

Color : yellow

Odor : Acrylate

Boiling point/boiling range : 35 °C

Flash point : 101.11 °C

Vapor pressure : 16 PSI

Relative density : 1.15

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	16.06.2026	300000000067	Date of first issue: 16.06.2026

Density	:	1.15 g/cm ³
Viscosity	:	
Viscosity, dynamic	:	400 cP
Viscosity, kinematic	:	347.826 mm ² /s

Section 10: Stability and reactivity

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	The product is chemically stable. No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Hazardous polymerization does not occur. No decomposition if stored and applied as directed.
Conditions to avoid	:	None known. No data available
Incompatible materials	:	None known. Not applicable
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information**Acute toxicity**

Not classified due to lack of data.

Components:**(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

2-hydroxyethyl methacrylate:

Acute oral toxicity : LD50 (Rat): 5,564 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

ethyl 4-dimethylaminobenzoate:Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicityAcute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity**ethylene dimethacrylate:**

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	16.06.2026	300000000067	Date of first issue: 16.06.2026

Acute oral toxicity : LD50 (Rat): 8,300 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

2,2'-[(4-methylphenyl)imino]bisethanol:

Acute oral toxicity : LD50 (Rat): 959 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

hydroquinone:

Acute oral toxicity : LD50 (Rat): 375 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC0 (Rat): 7.8 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes skin irritation.

Components:**2-hydroxyethyl methacrylate:**

Result : Skin irritation
Remarks : Based on national or regional regulation.

ethyl 4-dimethylaminobenzoate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

ethylene dimethacrylate:

Species : Rabbit
Result : No skin irritation

2,2'-[(4-methylphenyl)imino]bisethanol:

Species : Rabbit
Result : No skin irritation

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	16.06.2026	300000000067	Date of first issue: 16.06.2026

hydroquinone:

Species	:	Rat
Result	:	No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks	:	Vapors may cause irritation to the eyes, respiratory system and the skin.
---------	---	---

Components:**2-hydroxyethyl methacrylate:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

ethyl 4-dimethylaminobenzoate:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

ethylene dimethacrylate:

Species	:	Rabbit
Result	:	No eye irritation

2,2'-[(4-methylphenyl)imino]bisethanol:

Species	:	Rabbit
Result	:	Irreversible effects on the eye

hydroquinone:

Result	:	Irreversible effects on the eye
Remarks	:	Based on national or regional regulation.

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

Not classified due to lack of data.

Product:

Remarks	:	Causes sensitization.
---------	---	-----------------------

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	16.06.2026	300000000067	Date of first issue: 16.06.2026

Components:**(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate:**

Assessment	:	Probability or evidence of skin sensitization in humans
Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	positive

2-hydroxyethyl methacrylate:

Assessment	:	Probability or evidence of skin sensitization in humans
Remarks	:	Based on national or regional regulation.

ethyl 4-dimethylaminobenzoate:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

ethylene dimethacrylate:

Assessment	:	Probability or evidence of skin sensitization in humans
Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	positive

2,2'-[(4-methylphenyl)imino]bisethanol:

Assessment	:	Probability or evidence of skin sensitization in humans
Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	positive
Remarks	:	Based on data from similar materials

hydroquinone:

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Result	:	positive
Assessment	:	Probability or evidence of skin sensitization in humans

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	16.06.2026	300000000067	Date of first issue: 16.06.2026

Germ cell mutagenicity

Not classified due to lack of data.

Components:**(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate:**

Genotoxicity in vitro :
 Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

2-hydroxyethyl methacrylate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
 cytogenetic assay)
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 474
 Result: negative

ethyl 4-dimethylaminobenzoate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
 Method: OECD Test Guideline 473
 Result: positive

Test Type: In vitro mammalian cell gene mutation test
 Method: OECD Test Guideline 476
 Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
 Method: OECD Test Guideline 471
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
 cytogenetic assay)
 Species: Mouse
 Application Route: Ingestion
 Method: OECD Test Guideline 474
 Result: negative

ethylene dimethacrylate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: Chromosome aberration test in vitro
 Method: OECD Test Guideline 473
 Result: positive

Test Type: In vitro mammalian cell gene mutation test
 Method: OECD Test Guideline 476

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	16.06.2026	300000000067	Date of first issue: 16.06.2026

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

2,2'-[(4-methylphenyl)imino]bisethanol:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: positive
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: In vivo mammalian alkaline comet assay
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 489
Result: negative
Remarks: Based on data from similar materials

hydroquinone:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Carcinogenicity

Not classified due to lack of data.

Components:

2-hydroxyethyl methacrylate:

Species : Rat
Application Route : Inhalation

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	16.06.2026	300000000067	Date of first issue: 16.06.2026

Exposure time : 102 Weeks
Method : OECD Test Guideline 451
Result : negative
Remarks : Based on data from similar materials

hydroquinone:

Species : Rat
Application Route : Ingestion
Exposure time : 104 Weeks
Result : positive

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Reproductive toxicity

May damage fertility or the unborn child.

Components:**2-hydroxyethyl methacrylate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

ethyl 4-dimethylaminobenzoate:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 421
Result: positive

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.

ethylene dimethacrylate:

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	16.06.2026	300000000067	Date of first issue: 16.06.2026

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

2,2'-[(4-methylphenyl)imino]bisethanol:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

hydroquinone:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

STOT-single exposure

Not classified due to lack of data.

STOT-repeated exposure

Not classified due to lack of data.

Components:**ethylene dimethacrylate:**

Assessment : No significant health effects observed in animals at concentrations of 1 mg/l/6h/d or less.

2,2'-[(4-methylphenyl)imino]bisethanol:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	16.06.2026	300000000067	Date of first issue: 16.06.2026

Aspiration toxicity

Not classified due to lack of data.

Further information**Product:**

Remarks : No data available

Section 12: Ecological information**Toxicity****Components:****(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate:****Ecotoxicology Assessment**

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

2-hydroxyethyl methacrylate:

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): > 100 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 380 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 836 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

NOEC (Selenastrum capricornutum (green algae)): 400 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 24.1 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211

Toxicity to microorganisms : EC0: > 3,000 mg/l
 Exposure time: 16 h

ethyl 4-dimethylaminobenzoate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.9 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 4.5 mg/l

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	16.06.2026	300000000067	Date of first issue: 16.06.2026

aquatic invertebrates Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC10 (Raphidocelis subcapitata (freshwater green alga)):
0.71 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 2.8
mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

ethylene dimethacrylate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 15.95 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 44.9 mg/l
aquatic invertebrates Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC10 (Pseudokirchneriella subcapitata (green algae)): 6.93
mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): 17.3
mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 5.05 mg/l
aquatic invertebrates (Chron- Exposure time: 21 d
ic toxicity) Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: 570 mg/l
Exposure time: 30 min
Method: ISO 8192

2,2'-[(4-methylphenyl)imino]bisethanol:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l
aquatic invertebrates Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	16.06.2026	300000000067	Date of first issue: 16.06.2026

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

hydroquinone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.638 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.061 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (Pseudokirchneriella subcapitata (green algae)): 0.034 mg/l
Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.33 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0029 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : IC50: 71 mg/l
Exposure time: 2 h

Persistence and degradability**Components:****2-hydroxyethyl methacrylate:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 %
Exposure time: 14 d
Method: OECD Test Guideline 301C

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	16.06.2026	300000000067	Date of first issue: 16.06.2026

ethyl 4-dimethylaminobenzoate:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 40 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

ethylene dimethacrylate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 71.6 %
Exposure time: 30 d
Method: OECD Test Guideline 301C

2,2'-[(4-methylphenyl)imino]bisethanol:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301B
Remarks: Based on data from similar materials

hydroquinone:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 80 %
Exposure time: 28 d

Bioaccumulative potential**Components:****(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate:**

Partition coefficient: n- : log Pow: 4.1
octanol/water

2-hydroxyethyl methacrylate:

Partition coefficient: n- : log Pow: 0.42
octanol/water

ethyl 4-dimethylaminobenzoate:

Partition coefficient: n- : log Pow: 3.2
octanol/water Method: OECD Test Guideline 117

ethylene dimethacrylate:

Partition coefficient: n- : log Pow: 2.4
octanol/water

2,2'-[(4-methylphenyl)imino]bisethanol:

Partition coefficient: n- : log Pow: 2
octanol/water Method: OECD Test Guideline 117

hydroquinone:

Partition coefficient: n- : log Pow: 0.59

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	16.06.2026	300000000067	Date of first issue: 16.06.2026

octanol/water

Mobility in soil

No data available

Other adverse effects
Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.

Section 13: Disposal considerations
Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

Section 14: Transport information
International Regulations
UNRTDG

Not regulated as a dangerous good

UN number : Not applicable
UN proper shipping name : Not applicable
Transport hazard class(es) : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

Not regulated as a dangerous good

UN/ID No. : Not applicable
UN proper shipping name : Not applicable
Transport hazard class(es) : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

Not regulated as a dangerous good

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	16.06.2026	300000000067	Date of first issue: 16.06.2026

UN number	: Not applicable
UN proper shipping name	: Not applicable
Transport hazard class(es)	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
EmS Code	: Not applicable
Marine pollutant	: Not applicable

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Remarks	: Not classified as dangerous in the meaning of transport regulations.
---------	--

Section 15: Regulatory information
Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and Environmental Protection and Management (Hazardous Substances) Regulations	: Not applicable
Fire Safety (Petroleum and Flammable Materials) Regulations	: Not applicable

Section 16: Other information

Revision Date	: 16.06.2026
Date format	: dd.mm.yyyy

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
SG OEL	: Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.

ACGIH / TWA	: 8-hour, time-weighted average
SG OEL / PEL (long term)	: Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

**3M™ Adper™ Scotchbond™ Multi-Purpose
Adhesive Refill, 7543, 8ml**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	16.06.2026	300000000067	Date of first issue: 16.06.2026

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SG / EN